



COASTAL RESOURCES DIVISION

ONE CONSERVATION WAY · BRUNSWICK, GA 31520 · 912-264-7218

WALTER RABON
COMMISSIONER

DOUG HAYMANS
DIRECTOR

December 4, 2024

Munnerlyn Pyrotechnics
357 Southberry Way
Lexington, SC 29072

Re: Letter of Permission (LOP), Temporary Activities, Placement of a Fireworks Display, Vicinity of King and Prince Resort, 201 Arnold Road, St. Simons Island, Atlantic Ocean, Glynn County, Georgia, (GPS 31.13915°N/-81.37815°W)

Dear Munnerlyn Pyrotechnics:

This Letter of Permission (LOP) is in response to your request, dated November 22, 2024, to set up equipment for a Fireworks Display on the beach at The King and Prince Beach and Golf Resort, within Shore Protection Act (SPA) jurisdiction on December 21, 2024.

To accomplish the set-up, a flatbed trailer will be hauled onto the beach with a one ton 4-wheel drive pick-up truck. The flatbed trailer will serve as the firework launch site and will be located at one of the three locations depicted in the attached description and site maps dependent on tide and wind. All event activities will take place landward of the Ordinary High-Water Mark and seaward of the dunes.

During the fireworks display, local fire and emergency response vehicles will be parked within 100 yards of the shoot site location. A second pickup truck will also be parked near the flatbed trailer to run staff and supplies to and from the launch site. The equipment and vehicles will travel to the launch site via the DNR approved vehicle access points located at the Coast Guard Beach and Massengale Park.

To secure a 145ft. safety zone, a fence consisting of red metal posts driven into the sand and caution tape strung from post to post will be temporarily installed around the launch site. Directional signage will be tied directly to the fence posts and used in conjunction with Munnerlyn Pyrotechnics staff to prevent pedestrians from entering the safety zone.

Munnerlyn Pyrotechnics staff will begin set up on the afternoon of December 21, 2024, and position the flatbed trailer above the wrack line and seaward of the sand dunes. Removal will take place immediately following the event. All materials, equipment, litter, and debris will be removed. In the event of rain or other unforeseen events, set up and removal will occur between December 21, 2024 and December 22, 2024. No dunes or dune vegetation will be disturbed during the transport or set up of any of the structures.

The Department authorizes the placement of the fireworks set up equipment as depicted in the attached description and site map and has no objection to the action. **No unauthorized equipment, materials or debris may be placed, disposed of, or stored in jurisdictional areas.** Any incidental damage to dunes or dune vegetation will require restoration to be coordinated through this office. This LOP is valid for the above referenced project. Any change in the use, location, dimensions, or configuration of the approved project, without prior notification and approval from this office could result in revocation of this permission and in the required removal of the related structures.

This LOP does not relieve you from obtaining any other federal, state, or local permits. If you have any further questions or concerns regarding this or any other projects, please feel free to contact Beth Byrnes at (912) 266-0277.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jill Andrews".

Jill Andrews
Chief, Coastal Management Section

Enclosures: Project Description and Drawings
Local Permits Issued

Cc: Lindsey Davis, Munnerlyn Pyrotechnics

File #: LOP20240121



CONTACT LIST

King & Prince 12.21.24 (Fireworks-Display Show)

Address: 201 Arnold Rd. St Simons Island, GA 31522

Start Time: Approx: 9-9:30pm

Munnerlyn Pyrotechnics Operators on Site:

- Josier Oquendo – Lead Operator Mobile: 803-580-0500
- Brent Munnerlyn Mobile: 803-261-8615
- Jeremiah Brydon Mobile: 814-421-7430

Munnerlyn Pyro Administration/Emergency Contacts:

- Brent Munnerlyn Mobile: 803-261-2615
Email: brent@munnerlynpyro.com
- Lindsey Davis Mobile: 269-568-9197
Email: lindsey@munnerlynpyro.com

City of Atlanta Fire Dept:

POC: Chief Knighten

Email: Wendell.Knighten@glynncounty-ga.gov

Or

John P Richardson

Fire Investigator/Fire Inspector

Glynn County Fire Rescue

121 Carl Alexander Way

Brunswick, GA 31525

jrichardson@glynncounty-ga.com

912-476-5729



To Whom it May Concern,

Munnerlyn Pyrotechnics would like to request permission and use of the beach located at The King & Prince Beach & Golf Resort 201 Arnold Rd., St. Simons Island GA for a fireworks display scheduled on 12/21/2024. The event will feature a professionally coordinated firework show conducted by Munnerlyn Pyrotechnics and its licensed pyrotechnicians. We will ensure that all necessary safety precautions are in place, including a designated safety perimeter, crowd control, and post-event cleanup. The display will follow all local regulations, and we are prepared to collaborate with local law enforcement and fire departments to ensure public safety.

1. Site Setup: Identify and prepare designated launch zones, spectator areas, and safety perimeters. **See Site Map Attached**
2. Pyrotechnics Setup: Arrange and secure fireworks at launch sites following fire safety regulations.
3. Safety Inspections: Perform pre-show inspections of launch equipment, fire extinguishers, and emergency response measures.
4. Launch Coordination: Manage the timing of fireworks display sequences.
5. Crowd Management: Ensure proper signage, barriers, and personnel to guide spectators and control entry.
6. Post-Display Clean-Up: Remove fireworks debris and perform a safety check of the site.

Fireworks Setup and Launch

King & Prince Beach Resort

Date: 12/21/2024

-Time: Setup from 1:00 PM to 8:00 PM, fireworks launch at 9:00 PM.

- Munnerlyn Pyrotechnics will need to haul a flatbed trailer onto the beach which staff will utilize as a platform to launch this firework display. The trailer will be brought to the site in the early afternoon around 1pm on 12/21/24 via our approved access ramp which is located about 800-1,100 yards North of the launch site. The flatbed trailer will be primarily hauled to the site with a 1 ton 4 wd pickup truck.

- Trailer will be removed from the site in the same manner. The trailer will serve as the launch site and will be located approximately 100 yards Southeast of the King and Prince Beach Resort. Crews will only work on setting up the fireworks during daylight hours and no additional artificial light sources will be present on the beach at night. To secure a 145ft wide safety zone around the launch site, red medal posts will be driven into the sand with caution tape attached. The post and caution tape will be installed to prevent pedestrians from entering the safety zone. Additional temporary directional signage will be tied directly to the posts. In addition to the flatbed trailer, one pickup truck will be parked near the trailer to run staff and supplies to and from the launch site.

-All guests in attendance to watch the fireworks display will be located at the King & Prince Beach Resort, or on the public beach that lies outside of the safety zone. Staff will patrol the entire event site to prevent guests from entering the shoot site and to safeguard any sea turtle nest sites. All event activities will take place landward of the ordinary of the high water mark and seaward of the dunes and there will be no disruption to the adjacent primary beach by vehicles or staff assembling the launch pad and site or during its removal at the conclusion of the event. Full completion of this scope of work will be installed and removed on the same day.

-All fire trucks and other emergency vehicles will be parked nearby within 100 yards of the shoot site location (see site map), well away from any of the nearby dune habitats if any and well outside of the jurisdiction area.

-Activity Details: Licensed pyrotechnicians will place fireworks in pre-designated launch zones, ensuring proper setup (fireworks being used in this event will be a combination of 1.3 & 1.4 cakes – No Mortars.) A test fire will be conducted to ensure equipment functionality. The fireworks display will involve multiple aerial cakes.

-Safety Measures: A 145-foot perimeter will be established around the launch area. Fire extinguishers and emergency medical personnel will be on-site.

These activities ensure a safe and organized fireworks event

We appreciate your consideration and look forward to your response.

Sincerely,

Lindsey Davis

Munnerlyn Pyrotechnics



November 21, 2024

Costal Resources Division
Coastal Permit Coordinator
Mobile: 912-266-0277
CRD Main Line: 912-264-7218

Subject: Permission for Fireworks Display on December 21, 2024

Dear Beth,

On behalf of the King and Prince Beach Resort, we are pleased to grant permission for the use of our beachfront property for a fireworks display on the evening of December 21, 2024. The display will be conducted by Munnerlyn Pyrotechnics, a certified and experienced provider of professional pyrotechnics.

We understand the importance of maintaining compliance with all applicable state and local regulations governing fireworks displays, and we have full confidence in the organizers to adhere to these guidelines, including securing all necessary permits and taking measures to ensure the safety of our guests and the surrounding environment.

Please do not hesitate to contact us should you require any additional documentation or further clarification regarding this matter. We look forward to this event, which will serve as a memorable celebration for our community and guests.

Thank you for your attention and support.

Sincerely,

Bart Johnson
General Manager
The King and Prince Beach & Golf Resort

Glynn County Police Department
Brunswick, GA
November 19, 2024

License/Permit Type: Public Conduct
Location: King & Prince 102 Arnold Road St
Status: APPR

This public conduct permit has been issued to the person listed below, which is valid from 21:00:00 12/21/24 to 21:30:00 12/21/24, in accordance with the Glynn County Code of Ordinances

License/Permit
Number: 482

Issued to:

Lindsey R Davis
357 Southberry Way
Lexington, SC 29072
phone: (269)568-9197

Comment:

Applicant's Name: Lindsey R. Davis
Associated Entity: Munnerlyn Pyrotechnics, LLC
Type of Event: Fireworks Show

Date/s: December 21, 2024
Times: 9 p.m. to 9:30 p.m.
Number of Persons: 2-3 participating

Exact Location: King & Prince Beach Resort - 201 Arnold Road (Beach Area) See attached map with 3 possible fire locations in case of wind direction change.

Firearms etc.: No

Fireworks: Yes, professionally coordinated firework show conducted by Munnerlyn Pyrotechnics and its licensed pyrotechnicians (see attached credentials)

2-9-53 General Noise Disturbance Prohibited.

(f) Fireworks. It shall be unlawful to use, ignite, or cause to be ignited any fireworks or consumer fireworks, as defined by O.C.G.A. 25-10-1, that are plainly audible across a real property boundary line except as follows:

(1) Consumer fireworks may be used, ignited, or caused to be ignited on any day beginning at the time of 10:00 A.M. and up to and including the ending time of 9:00 P.M. In addition, consumer fireworks may also be used, ignited, or caused to be ignited on January 1, July 3, July 4, and December 31 of each year after the time of 9:00 P.M. and up to and including the time of 11:59 P.M. and on January 1 of each year beginning at the time of 12:00 Midnight and up to and including the ending time of 1:00 A.M.;

* (2) In addition to those days set forth in subsection 2-9-53(f)(1), consumer fireworks may also be used, ignited, or caused to be ignited on any other day after the time of 9:00 P.M. and up to and including the time of 11:59 P.M. if a permit for such use or ignition has been issued by the Glynn County Police Chief.

* Munnerlyn Pyrotechnics, LLC will be responsible for removing any and all debris from the site and performing a safety check of the site afterwards.

Alcohol: No
Sound Amplification: No
Vehicles: NO
Artificial Lighting: No
Temporary Structures: No

Anticipated Need for Safety: 1 fire marshal and 1 fire truck. (Munnerlyn Pyrotechnics will coordinate with the Glynn County Fire Department)

Public Space/s Burdened: N/A

Similar Events: Yes, Munnerlyn Pyrotechnics has provided displays in the past at King & Prince on 6/13/23, 7/8/23 and 12/9/23.
Disclosures: No
Signage: No

A handwritten signature in blue ink, appearing to read "Chip St. M. J.", is written over a solid horizontal line. Below this line is a dashed horizontal line.

By:



PERMIT NUMBER: 2024-01

Glynn County Fire Rescue

121 Carl Alexander Way, Brunswick, GA 31525
912-554-7779

Permit to Conduct Public Exhibition or Display of Fireworks and/or Fireworks or Pyrotechnics Exhibition or Display Before a Proximate Audience

Pursuant to O.C.G.A. Title 25, Chapter 10, and the Rules and Regulations of the Safety Fire Commissioner, this permit is issued for the purpose of conducting a:

- Public Exhibition or Display of Fireworks
- Fireworks or Pyrotechnics Exhibition or Display Before a Proximate Audience

At The King and Prince Beach and Golf Resort for the dates of 12/21/24 through 12/21/24

This permit is issued only for the following company and submitted operators and assistants thereof:

MUNNERLYN PYROTECHNICS LLC

357 SOUTHBERRY WAY, LEXINGTON, SC 29072

Date Issued: 11/22/2024

By: _____

Fire Marshall John P. Richardson

Client	King & Prince
Date of Show	December 21st, 2024

Quantities below indicate the max number of each type to be included in shows.

	2.5"	2.5" Chains	3"	3" Chains	4"	4" Chains	5"	6"	8"
Number of Shells		0							
Number of Chains									
Number of Racks	0	0	0	0	0	0	0	0	0

of Cakes

All tubes being used are HDPE

2.5" racks contain 8 to 10 HDPE mortars with no separation between mortars
 3" racks contain 12 HDPE mortars with no separation between mortars
 4" racks contain 6 HDPE mortars with 2" spacing between mortars
 5" racks contain 4 HDPE mortars with 2" spacing between mortars
 6" racks contain 4 HDPE mortars with 2" spacing between mortars
 8" racks contain 2 HDPE mortars with 2+" spacing between mortars

All tubes over 3" have double wood plugs that have been glued together across the grain to provide additional structural integrity.

All tubes over 5" have solid wood plugs with grain running vertically.



DETAILS: Entry Point Access Request

Show Day - 12/21/2024

Show Address - King & Prince Beach and Golf Resort

201 Arnold Rd, St Simons Island, GA 31522

Show Time - Approximately 9:00-10:00pm

Entry Point – Coast Guard Public Beach Access #27

4202 1st St, St Simons Island, GA 31522

Vehicle Beach Drive Access Point Request



DETAILS: King & Prince Resort

Show Day – 12.21.2024

Show Address – 201 Arnold Rd, St. Simons Island, GA 31522

Show Time – Approximately 9:30 pm

Rain Date – 12.22.2024

Max Shell Size – class B & class C Cakes

Safety Fallout Radius – 145ft

Storage Required – none

Other Requirements – None

(Shoot Site Map Option 1) – We have provided 3 shoot site maps in the event of wind or the tide rising.

+

852673499+5*74//8



DETAILS: King & Prince Resort

Show Day – 12.21.2024

Show Address – 201 Arnold Rd, St. Simons Island, GA 31522

Show Time – Approximately 9:30 pm

Rain Date – 12.22.2024

Max Shell Size – class B & class C Cakes

Safety Fallout Radius – 145ft

Storage Required – none

Other Requirements – None

(Shoot Site Map Option 2) – We have provided 3 shoot site maps in the event of wind or the tide rising.



DETAILS: King & Prince Resort

Show Day – 12.21.2024

Show Address – 201 Arnold Rd, St. Simons Island, GA 31522

Show Time – Approximately 9:30 pm

Rain Date – 12.22.2024

Max Shell Size – class B & class C Cakes

Safety Fallout Radius – 145ft

Storage Required – none

Other Requirements – None

(Shoot Site Map Option 3) – We have provided 3 shoot site maps in the event of wind or the tide rising.